



# Benuttingsoverzicht 2023

Aangemaakt op 19-02-2024

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		33.217	33.217	33.217	100,00%		
ANF/07.		363.206	1.767	1.767	0,49%		
>(ANF/*8ABDE)	SC	56.985			0%		
ANF/2AC4-C		96.935	85.311	85.311	88,01%		
>(ANF/*56-14)	SC	14.407			0%		
>(ANF/*6AN58)	SC	43.218			0%		
>(ANF/*2AC4C)	SC	27.244			0%		
ARU/1/2.		14.451			0%		
ARU/3A4-C		37.566	13.305	13.305	35,42%		
ARU/567.		7.448.905	5.045.280	5.045.280	67,73%		
>BFT/AE45WM_AMS	SC		600	600			
>BLI/12INT-	SC	1.000			0%		
>BLI/24_AMS	SC		4	4			
>BLI/5B67-	SC	7.958			0%		
BOR/678-		127.734	69.447	69.447	54,37%		
>BSF/56712-	SC	1.110			0%		
COD/N3M.		600			0%		Vanaf 22-12-2023
COD/03AN.		16.000	12.282	12.282	76,76%		
COD/07D.		29.500	1.503	1.503	5,09%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(COD/*2A3X4)	SC	1.550			0%		
COD/1N2AB.		536	536	536	100,00%		
COD/2A3AX4		858.600	168.678	677.725	78,93%		
>COD/*04N-	EL		509.047	509.047			
>(COD/*07D.)	SC	88.050			0%		
COD/7XAD34		500	102	102	20,40%		
DGS/03A-C.			4	4		4	
DGS/15X14		10.000			0%		
DGS/2AC4-C		91.000	2.698	2.698	2,96%		
GHL/2A-C46		32.331	6	6	0,02%		
HAD/03A.		3.731	3.731	3.731	100,00%		
HAD/2AC4.		731.201	430.371	472.343	64,60%		
>HAD/*04N-	EL		41.972	41.972			
>(HAD/*6AN58)	SC	29.585			0%		
HAD/5BC6A.		2.041			0%		
HAD/6B1214		1.722			0%		
HAD/7X7A34		15.578	4.644	4.644	29,81%		
HER/1/2-		6.553.656		5.884.219	89,79%		
>HER/*2AJMN	EL		5.884.219	5.884.219			
HER/2A47DX		63.064	1.716	1.716	2,72%		
HER/4AB.		49.835.294	48.342.763	48.416.179	97,15%		
>HER/*4N-S62	SC		73.416	73.416			
HER/4CXB7D		20.244.732	18.428.930	19.060.265	94,15%		
>(HER/*04B.)	SC	10.186.191	631.335	631.335	6,20%		
HER/5B6ANB		78.663	15.364	15.364	19,53%		
HER/6AS7BC		172.000			0%		
HER/7G-K.		54.000			0%		
HKE/04-N.		119.400	20.800	20.800	17,42%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
HKE/2AC4-C		71.666	23.704	28.590	39,89%		
>HKE/*03A.	SC	6.840	4.886	4.886	71,43%		
>(HKE/*6AN58)	SC	4.155			0%		
HKE/571214		273.511	114.410	114.410	41,83%		
>(HKE/*8ABDE)	SC	523			0%		
HKE/8ABDE.		26.258			0%		
>(HKE/*57-14)	SC	8.913			0%		
I/F/04-N.		143		143	100,00%		
>JAX/*04-N.	EL	143	143	143	100,00%		
JAX/2A-14		3.849.984	1.358.871	1.824.283	47,38%		
>(JAX/*07D.)	SC	298.869	193.500	193.500	64,74%		
>>(OTH/*07D.)	EL	15.007			0%		
>(JAX/*7D-EU)	SC	92.700	73.987	73.987	79,81%		
>(OTH/*2A-14)	EL	197.925	197.925	197.925	100,00%		
JAX/4BC7D		3.374.265	2.738.398	2.842.513	84,24%		
>(JAX/*2A4AC)	SC	300.136			0%		
>(OTH/*4BC7D)	EL	104.115	104.115	104.115	100,00%		
LEZ/07.		505	229	229	45,35%		
LEZ/2AC4-C		38.999	437	437	1,12%		
>(LEZ/*6AN58)	SC	7.786			0%		
LIN/03A-C.		151	20	20	13,25%		
LIN/04-C.		5.619	1.608	1.608	28,62%		
>(LIN/*6AN58)	SC	1.136			0%		
LIN/04-N.		1.700	1.570	1.570	92,35%		
LIN/6X14.		1.021	256	256	25,07%		
L/W/2AC4-C		365.457	97.863	97.863	26,78%		
(MAC/*2A14)		1.092.000	1.092.000	1.092.000	100,00%		
MAC/2A34.		1.746.492	960.255	1.503.023	86,06%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(MAC/*2AX14)	SC	1.070.584			0%		
>MAC/*3A4BC	EL	560.522	542.768	542.768	96,83%		
MAC/2CX14-		19.649.252	1.950.515	17.469.549	88,91%		
>(MAC/*4A-UK)	SC	25.710.092	15.519.034	15.519.034	60,36%		
>(MAC/*8C910)	SC	4.937.490			0%		
MAC/8C3411		200			0%		
MAR_PEL_IND/MAR_2019		19.232.612	13.108.743	13.108.743	68,16%		
MRT_PEL_IND_FROZEN/MRT 2021		67.551.100	9.132.641	9.132.641	13,52%		
NEP/03A.		1			0%		
NEP/07.		3			0%		
NEP/2AC4-C		1.245.418	867.635	867.635	69,67%		
NEP/5BC6.		1.900			0%		
NOP/2A3A4.		33.061	3.018	3.018	9,13%		
>(OT2/*2A3A4)	EL	2.026			0%		
(OTH/04-N.)		106.000	4.992	4.992	4,71%		
PLE/03AN.		2.476.365	336.061	336.061	13,57%		
PLE/2A3AX4		35.234.234	7.268.692	7.477.402	21,22%		
>PLE/*04N-	EL		208.710	208.710			
PLE/7DE.		50.461	34.441	34.441	68,25%		
PLE/7FG.		100	84	84	84,00%		
POK/1N2AB.		21.593	34.653	34.653	160,48%	13.060	
POK/2C3A4		140.585	88.806	127.436	90,65%		
>POK/*04N-	EL		38.630	38.630			
>(POK/*6AN58)	SC	8.232			0%		
POK/56-14		21.415	10.236	10.236	47,80%		
POK/7/3411		5.102	12	12	0,24%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
POL/07.		1.140	286	286	25,09%		
PRA/2AC4-C		7.000			0%		
RED/N30.		79.000			0%		
RJU/7DE.		7.000			0%		
>RNG/5B67-	SC	49.304			0%		
RNG/8X14-		2.220			0%		
>SBR/678_AMS	SC		44	44			
SOL/07D.		551	84	84	15,25%		
SOL/07E.		1	1	1	100,00%		
SOL/24-C.		7.940.785	3.179.623	3.179.623	40,04%		
SOL/3ABC24		45.332	5.713	5.713	12,60%		
SPR/2AC4-C		1.002.071	27.710	27.710	2,77%		
>(OTH/*2AC4C)	EL	25.923			0%		
SPR/7DE.		107.500			0%		
>SQI/N34.	SC	128.000			0%		
SRX/03A-C.		188	177	188	100,00%		
>RJH/03A-C.	SS		11	11			
SRX/07D.		18.000		18.000	100,00%		
>RJC/07D.	SS		1.829	1.829			
>RJH/07D.	SS		9.071	9.071			
>RJM/07D.	SS		7.100	7.100			
>(SRX/*2AC4C)	SC	700			0%		
>(SRX/*67AKD)	SC	350			0%		
SRX/2AC4-C		429.085	128	429.085	100,00%		
>RJC/2AC4-C	SS		171.218	171.218			
>RJH/04-C.	SS		128.630	128.630			
>RJM/2AC4-C	SS		92.688	92.688			
>RJN/2AC4-C	SS		2	2			

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(SRX/*07D2.)	SC	37.100		36.419	98,16%		
>>(RJC/*07D2.)	SS		36.419	36.419			
SRX/67AKXD		4.000		1.162	29,05%		
>RJC/67AKXD	SS		582	582			
>RJH/67AKXD	SS		380	380			
>(SRX/*07D.)	SC	200		200	100,00%		
>>(RJH/*07D.)	SS		200	200			
T/B/2AC4-C		2.227.866	1.084.011	1.084.011	48,66%		
WHB/1X14		87.228.041	84.521.191	84.524.022	96,90%		
>WHB/*NZJM1	SA		2.831	2.831			
WHG/03A.		2.224	218	218	9,80%		
WHG/2AC4.		2.064.563	945.213	950.985	46,06%		
>WHG/*04N-	EL		5.772	5.772			
WHG/7X7A-C		332.908	273.803	273.803	82,25%		
WIT/N3NO.		10.000			0%		