



Benuttingsoverzicht 2024

Aangemaakt op 04-04-2024

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		27.000	1.718	1.718	6,36%		
ANF/07.		187.500	679	679	0,36%		
>(ANF/*8ABDE)	SC	54.200			0%		
ANF/2AC4-C		120.000	9.117	9.117	7,60%		
>(ANF/*56-14)	SC	11.500			0%		
>(ANF/*6AN58)	SC	34.500			0%		
>(ANF/*2AC4C)	SC	23.200			0%		
ARU/1/2.		12.000			0%		
ARU/3A4-C		31.000			0%		
ARU/567.		6.683.000			0%		
BLL/03A-C.			352	352			
BLL/07DE.		2.000	658	658	32,90%		
>(BLL/*2AC4-C2)	SC	2.000			0%		
BOR/678-			2.102	2.102		2.102	
COD/N3M.		217.000			0%		
COD/03AN.		18.000	713	713	3,96%		
COD/07D.		36.000	278	278	0,77%		
>(COD/*2A3X4)	SC	1.800			0%		
COD/2A3AX4		1.924.700	42.102	44.130	2,29%		
>COD/*04N-	EL		2.028	2.028			

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(COD/*07D.)	SC	98.600			0%		
COD/7XAD34		0	4	4		4	
DGS/15X14		10.000			0%		
DGS/2AC4-C		94.000	149	149	0,16%		
GHL/N3LMNO		22.000			0%		
GHL/2A-C46			27	27		27	
HAD/03A.		6.000	90	90	1,50%		
HAD/2AC4.		451.000	46.267	47.238	10,47%		
>HAD/*04N-	EL		971	971			
>(HAD/*6AN58)	SC	45.100			0%		
HAD/7X7A34			265	265		265	
HER/1/2-		2.870.000			0%		
HER/2A47DX		73.000			0%		
HER/4AB.		56.416.928	12.549	12.549	0,02%		
HER/4CXB7D		28.737.923	3.263.159	3.263.159	11,35%		
>(HER/*04B.)	SC	12.215.000			0%		
HER/5B6ANB		64.000	4.567	4.567	7,14%		
HER/6AS7BC		206.000			0%		
HER/7G-K.		54.000			0%		
HKE/04-N.		120.000			0%		
HKE/2AC4-C		50.000	12	12	0,02%		
>HKE/*03A.	SC	5.000			0%		
>(HKE/*6AN58)	SC	3.000			0%		
HKE/571214		89.500	1.663	1.663	1,86%		
>(HKE/*8ABDE)	SC	24.000			0%		
HKE/8ABDE.		24.000			0%		
>(HKE/*57-14)	SC	7.000			0%		
JAX/2A-14		3.803.000	77.855	77.855	2,05%		
>(JAX/*07D.)	SC	191.650			0%		
>(JAX/*7D-EU)	SC	94.550			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
JAX/4BC7D		1.891.000	875.477	875.477	46,30%		
>(JAX/*2A4AC)	SC	191.650			0%		
>(OTH/*4BC7D)	EL	94.550			0%		
LEM/03A-C.			582	582			
LEM/07D.		8.000	831	831	10,39%		
>(LEM/*2AC4-C2)	SC	8.000			0%		
LEZ/07.			5	5		5	
LEZ/2AC4-C		39.000	130	130	0,33%		
>(LEZ/*6AN58)	SC	7.800			0%		
LIN/03A-C.			1	1		1	
LIN/04-C.		4.000	215	215	5,38%		
>(LIN/*6AN58)	SC	800			0%		
LIN/04-N.		1.000	28	28	2,80%		
LIN/6X14.			110	110		110	
(L/W/2AC4-C)		237.000		14.718	6,21%		
>(LEM/2AC4-C)	SS	138.000		13.790	9,99%		
>>LEM/*2AC4-C	SA		13.790	13.790			
>(WIT/2AC4-C)	SS	90.000		928	1,03%		
>>WIT/*2AC4-C	SA		928	928			
MAC/2A34-N		1.737.048	630.653	639.760	36,83%		
>(MAC/*2AX14)	SC	905.000			0%		
>MAC/*3A4BC	EL	490.000	9.107	9.107	1,86%		
MAC/2CX14-		19.990.063	4.635.926	4.635.926	23,19%		
>(MAC/*4A-UK)	SC	20.808.000			0%		
>(MAC/*8C910)	SC	5.202.000			0%		
MRT_PEL_IND_FROZEN/M RT_2021		64.976.100	4.923.370	4.923.370	7,58%		
NEP/07.			2	2		2	
NEP/2AC4-C		510.000	35.991	35.991	7,06%		
NOP/2A3A4.		6.000			0%		
>(OT2/*2A3A4)	EL	300			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
(OTH/04-N.)		106.000			0%		
PLE/03AN.		2.181.000	20.306	20.306	0,93%		
PLE/2A3AX4		36.303.000	1.213.836	1.224.857	3,37%		
>PLE/*04N-	EL		11.021	11.021			
(PLE/7DE.)		10.000		9.366	93,66%		
>PLE/*07D.	SA	10.000	9.366	9.366	93,66%		
POK/2C3A4		60.000	91	211	0,35%		
>POK/*04N-	EL		120	120			
>(POK/*6AN58)	SC	9.000			0%		
POK/7/3411			19	19		19	
POL/07.			41	41		41	
PRA/2AC4-C		6.000			0%		
RJU/7DE.		3.000			0%		
>SBR/678_AMS	SC		8	8			
SKA/N3LNO.		62.000			0%		
SOL/07D.			25	25		25	
SOL/24-C.		3.221.579	802.001	802.001	24,89%		
SOL/3ABC24		26.000	2.876	2.876	11,06%		
>SQI/N34.	SC	128.000			0%		
>RJH/03A-C.	SS		8	8		8	
SRX/07D.		13.000		7.813	60,10%		
>RJC/07D.	SS		5.854	5.854			
>RJH/07D.	SS		1.019	1.019			
>RJM/07D.	SS		940	940			
>(SRX/*2AC4C)	SC	1.300			0%		
>(SRX/*67AKD)	SC	650			0%		
SRX/2AC4-C		407.000		94.045	23,11%		
>RJC/2AC4-C	SS		44.914	44.914			
>RJH/04-C.	SS		27.619	27.619			
>RJM/2AC4-C	SS		21.512	21.512			

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(SRX/*07D2.)	SC	40.700			0%		
SRX/67AKXD		3.000		195	6,50%		
>RJC/67AKXD	SS		62	62			
>RJH/67AKXD	SS		2	2			
>RJM/67AKXD	SS		131	131			
>(SRX/*07D.)	SC	150			0%		
(T/B/2AC4-C)		1.904.000		208.010	10,92%		
>(BLL/2AC4-C)	SS	828.000		71.393	8,62%		
>>BLL/*2AC4-C	SA		71.393	71.393			
>TUR/*2AC4-C	SS	1.077.000	136.617	136.617	12,68%		
WHB/1X14		78.388.402	48.126.711	48.126.711	61,40%		
WHG/03A.		2.000	50	50	2,50%		
WHG/2AC4.		3.049.000	472.655	472.672	15,50%		
>WHG/*04N-	EL		17	17			
(WHG/7X7A-C)		113.000		285.821	252,94%	172.821	
>WHG/*07D.	SA	90.000	264.890	264.890	294,32%	174.890	
>WHG/*7XAD	SA	23.000	20.931	20.931	91,00%		
WIT/03A-C.			16	16			