



Benuttingsoverzicht 2024

Aangemaakt op 19-02-2025

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		28.610	25.749	25.749	90,00%		
ANF/07.		246.261	1.995	1.995	0,81%		
>(ANF/*8ABDE)	SC	59.899			0%		
ANF/2AC4-C		179.694	157.660	157.660	87,74%		
>(ANF/*56-14)	SC	12.941			0%		
>(ANF/*6AN58)	SC	38.822			0%		
>(ANF/*2AC4C)	SC	25.924			0%		
ARU/1/2.		13.445			0%		
ARU/3A4-C		34.757			0%		
ARU/567.		8.092.548	7.282.660	7.282.660	89,99%		
>BLI/12INT-	SC	1.000			0%		
>BLI/5B67-	SC	7.796			0%		
BLL/03A-C.		11.000	8.569	8.569	77,90%		
>(BLL/*2AC4-C1)	SC	11.000			0%		
BLL/07DE.		2.300	2.030	2.030	88,26%		
>(BLL/*2AC4-C2)	SC	2.000			0%		
BOR/678-		62.116	43.899	43.899	70,67%		
>BSF/56712-	SC	111			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
COD/03AN.		18.000	9.551	9.551	53,06%		
COD/07D.		35.000	657	657	1,88%		
>(COD/*2A3X4)	SC	1.800			0%		
COD/2A3AX4		915.360	123.938	789.643	86,27%		
>COD/*04N-	EL		665.705	665.705			
>(COD/*07D.)	SC	98.600			0%		
COD/7XAD34		1.000	138	138	13,80%		
DGS/03A-C.		600	68	68	11,33%		
DGS/15X14		11.000			0%		
DGS/2AC4-C		108.100	3.703	3.703	3,43%		
GHL/2A-C46		32.233	45	45	0,14%		
HAD/03A.		6.028	6.032	6.032	100,07%	4	
HAD/1N2AB.		81	81	81	100,00%		
HAD/2AC4.		1.243.160	919.438	988.759	79,54%		
>(HAD/*03A.)	SC	6.070	6.070	6.070	100,00%		
>HAD/*04N-	EL		63.251	63.251			
>(HAD/*6AN58)	SC	48.059			0%		
HAD/6B1214		172			0%		
HAD/7X7A34		3.558	1.939	1.939	54,50%		
HER/1/2-		3.340.377		3.006.339	90,00%		18-10-2024 t/m 31-12-2024
>HER/*2AJMN	EL		3.006.339	3.006.339			
HER/2A47DX		79.306	4	4	0,01%		
HER/4AB.		60.361.842	55.960.375	56.002.924	92,78%		
>HER/*4N-S62	SC		42.549	42.549			
HER/4CXB7D		33.866.766	23.704.843	32.504.843	95,98%		
>(HER/*04B.)	SC	13.233.619	8.800.000	8.800.000	66,50%		
HER/5B6ANB		4.630	4.567	4.567	98,64%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
HER/6AS7BC		223.200			0%		
HKE/04-N.		120.000	37.942	37.942	31,62%		
HKE/2AC4-C		58.507	19.416	26.456	45,22%		
>HKE/*03A.	SC	8.524	7.040	7.040	82,59%		
>(HKE/*6AN58)	SC	3.416			0%		
HKE/571214		114.685	44.922	44.922	39,17%		
>(HKE/*8ABDE)	SC	24.052			0%		
HKE/8ABDE.		26.626			0%		
>(HKE/*57-14)	SC	7.891			0%		
JAX/2A-14		3.803.000	1.553.860	1.553.860	40,86%		
>(JAX/*07D.)	SC	221.537			0%		
>(JAX/*7D-EU)	SC	103.820			0%		
JAX/4BC7D		4.109.927	3.097.884	3.192.434	77,68%		
>(JAX/*2A4AC)	SC	221.664			0%		
>(OTH/*4BC7D)	EL	94.550	94.550	94.550	100,00%		
LEM/03A-C.		9.440	8.785	8.785	93,06%		
>(LEM/*2AC4-C1)	SC	10.000			0%		
LEM/07D.		8.000	2.042	2.042	25,53%		
>(LEM/*2AC4-C2)	SC	8.000			0%		
LEZ/07.		10.551	235	235	2,23%		
LEZ/2AC4-C		42.900	505	505	1,18%		
>(LEZ/*6AN58)	SC	8.579			0%		
LEZ/8ABDE.		5.000			0%		
LIN/03A-C.		15	11	11	73,33%		
LIN/04-C.		6.562	5.469	5.469	83,34%		
>(LIN/*6AN58)	SC	914			0%		
LIN/04-N.		1.100	1.070	1.070	97,27%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
LIN/6X14.		1.102	234	234	21,23%		
>(LIN/*04-C.)	SC	1.000			0%		
(L/W/2AC4-C)		175.896		75.241	42,78%		
>(LEM/2AC4-C)	SS	117.714		66.403	56,41%		
>>LEM/*2AC4-C	EL		66.403	66.403			
>(WIT/2AC4-C)	SS	58.181		8.838	15,19%		
>>WIT/*2AC4-C	EL		8.838	8.838			
(MAC/*2A14)		797.100	797.100	797.100	100,00%		
MAC/2A34-N		1.801.296	779.929	1.533.864	85,15%		
>(MAC/*2AX14)	SC	1.012.058			0%		
>MAC/*2A4AN	EL	299	299	299	100,00%		
>MAC/*3A4BC	EL	760.754	753.636	753.636	99,06%		
MAC/2CX14-		17.422.600	3.982.479	15.558.091	89,30%		
>(MAC/*4A-UK)	SC	23.403.009	11.575.612	11.575.612	49,46%		
>(MAC/*8C910)	SC	4.495.749			0%		
MAC/8C3411		20			0%		
MRT_PEL_IND_FROZ EN/MRT_2021		64.976.100	21.259.939	21.259.939	32,72%		
NEP/07.		100	3	3	3,00%		
NEP/2AC4-C		878.535	734.491	734.491	83,60%		
NEP/5BC6.		190			0%		
NOP/2A3A4.		9.306	6.406	6.406	68,84%		
>(OT2/*2A3A4)	EL	503			0%		
OTH/04-N.		117.500	103.610	103.610	88,18%		
PLE/03AN.		2.430.237	600.530	600.530	24,71%		
PLE/2A3AX4		41.648.705	5.290.233	5.531.487	13,28%		
>PLE/*04N-	EL		241.254	241.254			
(PLE/7DE.)		34.046		22.912	67,30%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>PLE/*07D.	EL	33.375	22.636	22.636	67,82%		
>PLE/*07E.	EL	671	276	276	41,13%		
PLE/7FG.		10			0%		
POK/1N2AB.		7.524	7.524	7.524	100,00%		
POK/2C3A4		167.149	54.961	137.505	82,26%		
>POK/*04N-	EL		82.544	82.544			
>(POK/*6AN58)	SC	9.823			0%		
POK/56-14		2.124			0%		
POK/7/3411		510	18	18	3,53%		
POL/07.		614	109	109	17,75%		
PRA/2AC4-C		6.000			0%		
RJU/7DE.		10.700			0%		
>RNG/5B67-	SC	35.930			0%		
RNG/8X14-		3.222			0%		
>SBR/678_AMS	SC		60	60			
SKA/N3LNO.		62.000			0%		
SOL/07D.		555	145	145	26,13%		
SOL/24-C.		3.284.079	2.940.142	2.940.142	89,53%		
SOL/3ABC24		30.533	16.514	16.514	54,09%		
SPR/2AC4-C		687.207	10.918	10.918	1,59%		
>(OTH/*2AC4C)	EL	16.512			0%		
SPR/7DE.		144.750			0%		
>SQI/N34.	SC	128.000			0%		
SRX/03A-C.		500	204	422	84,40%		
>RJH/03A-C.	SS		100	100			
>RJM/03A-C.	SS		118	118			
SRX/07D.		22.000	17	19.122	86,92%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>RJC/07D.	SS	0	7.049	7.049			
>RJH/07D.	SS	0	6.214	6.214			
>RJM/07D.	SS		5.842	5.842			
>(SRX/*2AC4C)	SC	1.300			0%		
>(SRX/*67AKD)	SC	650			0%		
SRX/2AC4-C		674.500	51	655.252	97,15%		
>RJC/2AC4-C	SS		318.262	318.262			
>RJH/04-C.	SS		187.827	187.827			
>RJM/2AC4-C	SS		90.212	90.212			
>(SRX/*07D2.)	SC	58.900		58.900	100,00%		
>>(RJC/*07D2.)	SS	0	58.900	58.900			
SRX/67AKXD		3.000		804	26,80%		
>RJC/67AKXD	SS		465	465			
>RJH/67AKXD	SS		58	58			
>RJM/67AKXD	SS		131	131			
>(SRX/*07D.)	SC	150		150	100,00%		
>>(RJH/*07D.)	SS	0	150	150			
(T/B/2AC4-C)		1.981.787		1.168.060	58,94%		
>(BLL/2AC4-C)	SS	884.833		344.721	38,96%		
>>BLL/*2AC4-C	EL		344.653	344.653			
>>(BLL/*7DE.)	SA	0	68	68			
>TUR/*2AC4-C	EL	1.097.953	823.339	823.339	74,99%		
>USK/04-C_AMS	SC		104	104			
USK/04-N.		3	3	3	100,00%		
WHB/1X14		99.448.453	89.485.464	89.503.608	90,00%		
>WHB/*NZJM1	SA		18.144	18.144			
WHG/03A.		2.000	317	317	15,85%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
WHG/2AC4.		3.184.456	1.397.464	1.404.415	44,10%		
>WHG/*04N- (WHG/7X7A-C)	EL	519.091	6.951	453.159	87,30%		
>WHG/*07D.	EL	461.815	414.901	414.901	89,84%		
>WHG/*7XAD	EL	57.276	38.258	38.258	66,80%		
WIT/03A-C.		100	73	73	73,00%		
>(WIT/*2AC4-C1)	SC	1.000			0%		