



Benuttingsoverzicht 2025

Aangemaakt op 03-04-2025

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		15.000	216	216	1,44%		
ANF/07.		532.000	1.478	1.478	0,28%		
>(ANF/*8ABDE)	SC	53.200			0%		
ANF/2AC4-C		305.000	1.925	1.925	0,63%		
>(ANF/*56-14)	SC	29.500			0%		
>(ANF/*6AN58)	SC	88.500			0%		
ANF/56-14		366.000			0%		
>(ANF/*2AC4C)	SC	61.600			0%		
ARU/1/2.		21.000			0%		
ARU/3A4-C		55.000			0%		
ARU/567.		6.877.500	76.599	76.599	1,11%		
>BFT/AE45WM_AMS	SC		1.325	1.325			
BLL/03A-C.		13.000	217	217	1,67%		
>(BLL/*2AC4-C1)	SC	13.000			0%		
BLL/07DE.		4.000	1.023	1.023	25,58%		
>(BLL/*2AC4-C2)	SC	4.000			0%		
BOR/678-			665.695	665.695		665.695	
COD/03AN.		14.000	1.353	1.353	9,66%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
COD/07D.		29.000	395	395	1,36%		
>(COD/*2A3X4)	SC	1.450			0%		
COD/2A3AX4		1.729.000	32.067	57.834	3,34%		
>COD/*04N-	EL		25.767	25.767			
>(COD/*07D.)	SC	77.350			0%		
COD/7XAD34		0	26	26		26	
DGS/15X14		12.000	6	6	0,05%		
DGS/2AC4-C		117.000	14	14	0,01%		
GHL/2A-C46			17	17		17	
HAD/03A.		6.000	574	574	9,57%		
HAD/2AC4.		413.000	86.851	87.066	21,08%		
>(HAD/*03A.)	SC	20.650			0%		
>HAD/*04N-	EL		215	215			
>(HAD/*6AN58)	SC	41.300			0%		
HAD/7X7A34			1.501	1.501		1.501	
HER/1/2-		2.395.977			0%		
HER/2A47DX		73.000			0%		
HER/4AB.		47.960.437	4	4	0%		
HER/4CXB7D		21.374.124	61.907	61.907	0,29%		
>(HER/*04B.)	SC	8.869.000			0%		
HER/5B6ANB		83.000			0%		
HER/6AS7BC		124.000			0%		
HER/7EF.			8	8		8	
HER/7G-K.		54.000			0%		
HKE/04-N.		107.000	19	19	0,02%		
HKE/2AC4-C		38.000	17	17	0,04%		
>HKE/*03A.	SC	3.800			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(HKE/*6AN58)	SC	2.280			0%		
HKE/571214		186.000	23.346	23.346	12,55%		
>(HKE/*8ABDE)	SC	19.000			0%		
HKE/8ABDE.		19.000			0%		
>(HKE/*57-14)	SC	6.000			0%		
JAX/2A-14		19.765.000	11.396.800	11.396.800	57,66%		
JAX/4BC7D		156.000	10.894	10.894	6,98%		
LEM/03A-C.		7.000	1.071	1.071	15,30%		
>(LEM/*2AC4-C1)	SC	7.000			0%		
LEM/07D.		6.000	610	610	10,17%		
>(LEM/*2AC4-C2)	SC	6.000			0%		
LEZ/07.			136	136		136	
LEZ/2AC4-C		37.000	27	27	0,07%		
>(LEZ/*6AN58)	SC	7.400			0%		
LIN/03A-C.			33	33		33	
LIN/04-C.		4.000	484	484	12,10%		
>(LIN/*6AN58)	SC	800			0%		
LIN/04-N.		1.000	28	28	2,80%		
LIN/6X14.			162	162		162	
(L/W/2AC4-C)		200.000		6.347	3,17%		
>(LEM/2AC4-C)	SS	88.000		6.181	7,02%		
>>LEM/*2AC4-C	EL		6.181	6.181			
>(WIT/2AC4-C)	SS	111.000		166	0,15%		
>>WIT/*2AC4-C	EL		166	166			
(MAC/*2A14)		554.000			0%		
MAC/2A34-N		1.205.000	2.648.449	2.655.177	220,35%	1.450.177	
>(MAC/*2AX14)	SC	723.000			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>MAC/*3A4BC	EL	490.000	6.728	6.728	1,37%		
MAC/2CX14-		15.335.200	1.140.670	1.140.670	7,44%		
>(MAC/*4A-UK)	SC	14.059.000			0%		
>(MAC/*8C910)	SC	3.514.750			0%		
MRT_PEL_IND_FROZ EN/MRT_2021		64.976.100	3.410.026	3.410.026	5,25%		
NEP/2AC4-C		365.000	46.929	46.929	12,86%		
NOP/2A3A4.		221			0%		
OTH/04-N.		106.000	809	809	0,76%		
PLE/03AN.		2.869.000	47.470	47.470	1,65%		
PLE/2A3AX4		40.410.000	1.090.243	1.090.724	2,70%		
>PLE/*04N-	EL		481	481			
(PLE/7DE.)		9.000		10.808	120,09%	1.808	
>PLE/*07D.	EL	9.000	10.754	10.754	119,49%	1.754	
>PLE/*07E.	EL		54	54		54	
POK/2C3A4		63.000	512	1.829	2,90%		
>POK/*04N-	EL		1.317	1.317			
>(POK/*6AN58)	SC	9.450			0%		
POK/56-14			315	315		315	
POK/7/3411			11	11		11	
POL/07.			78	78		78	
RED/N3M.		221.000			0%		
RJU/7DE.		3.000	316	316	10,53%		
>SBR/678_AMS	SC		47	47			
SOL/07A.		6.000			0%		
SOL/07D.			128	128		128	
SOL/07E.			18	18		18	
SOL/24-C.		6.521.000	923.054	923.054	14,16%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
SOL/3ABC24		17.000	1.153	1.153	6,78%		
SPR/2AC4-C		687.207	10.921	10.921	1,59%		
>(OTH/*2AC4C)	EL	16.512			0%		
SPR/7DE.		144.750			0%		
SRX/03A-C.			22	22		22	
>RJH/03A-C.	SS		22	22			
SRX/07D.		12.000	2	12.509	104,24%	509	
>RJC/07D.	SS		9.732	9.732			
>RJH/07D.	SS		1.606	1.606			
>RJM/07D.	SS		1.169	1.169			
>(SRX/*2AC4C)	SC	1.300			0%		
>(SRX/*67AKD)	SC	650			0%		
SRX/2AC4-C		399.000	19	110.552	27,71%		
>RJC/2AC4-C	SS		71.282	71.282			
>RJH/04-C.	SS		21.210	21.210			
>RJM/2AC4-C	SS		18.041	18.041			
>(SRX/*07D2.)	SC	39.900			0%		
SRX/67AKXD		3.000		2.587	86,23%		
>RJC/67AKXD	SS		1.775	1.775			
>RJH/67AKXD	SS		98	98			
>RJM/67AKXD	SS		714	714			
>(SRX/*07D.)	SC	150			0%		
(T/B/2AC4-C)		2.238.000		242.691	10,84%		
>(BLL/2AC4-C)	SS	992.000		86.119	8,68%		
>>BLL/*2AC4-C	EL		86.119	86.119			
>TUR/*2AC4-C	EL	1.247.000	156.572	156.572	12,56%		
WHB/1X14		58.700.630	39.870.335	39.870.335	67,92%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
WHG/03A.		1.000	4	4	0,40%		
WHG/2AC4.		4.223.000	534.188	534.334	12,65%		
>WHG/*04N- (WHG/7X7A-C)	EL	151.000	146	146			
>WHG/*07D.	EL	128.000	348.711	348.711	272,43%	223.006	
>WHG/*7XAD	EL	23.000	25.295	25.295	109,98%	2.295	
WIT/03A-C.		1.000	31	31	3,10%		
>(WIT/*2AC4-C1)	SC	1.000			0%		