



Benuttingsoverzicht 2025

Aangemaakt op 01-05-2025

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		15.000	1.876	1.876	12,51%		
ANF/07.		532.000	2.215	2.215	0,42%		
>(ANF/*8ABDE)	SC	53.200			0%		
ANF/2AC4-C		305.000	5.519	5.519	1,81%		
>(ANF/*56-14)	SC	29.500			0%		
>(ANF/*6AN58)	SC	88.500			0%		
ANF/56-14		366.000			0%		
>(ANF/*2AC4C)	SC	61.600			0%		
ARU/1/2.		21.000			0%		
ARU/3A4-C		55.000			0%		
ARU/567.		6.627.500	3.469.668	3.469.668	52,35%		
BLL/03A-C.		13.000	251	251	1,93%		
>(BLL/*2AC4-C1)	SC	13.000			0%		
BLL/07DE.		4.000	1.142	1.142	28,55%		
>(BLL/*2AC4-C2)	SC	4.000			0%		
BOR/678-			663.279	663.279		663.279	
CJM/SPRFMO		23.858.310			0%		
COD/03AN.		14.000	1.353	1.353	9,66%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
COD/07D.		29.000	484	484	1,67%		
>(COD/*2A3X4)	SC	1.450			0%		
COD/2A3AX4		1.724.000	39.105	142.393	8,26%		
>COD/*04N-	EL		103.288	103.288			
>(COD/*07D.)	SC	77.350			0%		
COD/7XAD34		0	63	63		63	
DGS/15X14		12.000	746	746	6,22%		
DGS/2AC4-C		117.000	538	538	0,46%		
GHL/2A-C46			40	40		40	
HAD/03A.		6.000	995	995	16,58%		
HAD/2AC4.		413.000	153.234	155.430	37,63%		
>(HAD/*03A.)	SC	20.650			0%		
>HAD/*04N-	EL		2.196	2.196			
>(HAD/*6AN58)	SC	41.300			0%		
HAD/7X7A34			3.510	3.510		3510	
HER/1/2-		2.995.977			0%		
HER/2A47DX		73.000			0%		
HER/4AB.		49.260.437	4	4	0%		
HER/4CXB7D		20.224.124	63.038	63.038	0,31%		
>(HER/*04B.)	SC	8.869.000			0%		
HER/5B6ANB		83.000			0%		
HER/6AS7BC		124.000			0%		
HER/7EF.			8	8		8	
HER/7G-K.		54.000			0%		
HKE/04-N.		107.000	3.296	3.296	3,08%		
HKE/2AC4-C		38.000	55	55	0,14%		
>HKE/*03A.	SC	3.800			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(HKE/*6AN58)	SC	2.280			0%		
HKE/571214		186.000	69.424	69.424	37,32%		
>(HKE/*8ABDE)	SC	19.000			0%		
HKE/8ABDE.		19.000			0%		
>(HKE/*57-14)	SC	6.000			0%		
JAX/2A-14		19.765.000	11.396.735	11.396.735	57,66%		
JAX/4BC7D		156.000	20.396	20.396	13,07%		
LEM/03A-C.		7.000	1.155	1.155	16,50%		
>(LEM/*2AC4-C1)	SC	7.000			0%		
LEM/07D.		6.000	745	745	12,42%		
>(LEM/*2AC4-C2)	SC	6.000			0%		
LEZ/07.			506	506		506	
LEZ/2AC4-C		37.000	49	49	0,13%		
>(LEZ/*6AN58)	SC	7.400			0%		
LIN/03A-C.			33	33		33	
LIN/04-C.		4.000	1.231	1.231	30,78%		
>(LIN/*6AN58)	SC	800			0%		
LIN/04-N.		1.000	71	71	7,10%		
LIN/6X14.			279	279		279	
(L/W/2AC4-C)		158.000		11.548	7,31%		
>(LEM/2AC4-C)	SS	46.000		10.999	23,91%		
>>LEM/*2AC4-C	EL		10.999	10.999			
>(WIT/2AC4-C)	SS	111.000		549	0,49%		
>>WIT/*2AC4-C	EL		549	549			
(MAC/*2A14)		554.000			0%		
MAC/2A34-N		1.205.000	2.648.449	2.662.346	220,94%	1.457.346	
>(MAC/*2AX14)	SC	723.000			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>MAC/*3A4BC	EL	490.000	13.897	13.897	2,84%		
MAC/2CX14-		11.629.200	1.183.971	1.183.971	10,18%		
>(MAC/*4A-UK)	SC	14.059.000			0%		
>(MAC/*8C910)	SC	514.750			0%		
MRT_PEL_IND_FROZ EN/MRT_2021		64.976.100	5.043.852	5.043.852	7,76%		
NEP/2AC4-C		365.000	71.050	71.050	19,47%		
NOP/2A3A4.		221			0%		
OTH/04-N.		106.000	9.552	9.552	9,01%		
PLE/03AN.		2.869.000	68.120	68.120	2,37%		
PLE/2A3AX4		40.410.000	1.632.258	1.636.515	4,05%		
>PLE/*04N-	EL		4.257	4.257			
(PLE/7DE.)		9.000		11.351	126,12%	2.351	
>PLE/*07D.	EL	9.000	11.272	11.272	125,24%	2.272	
>PLE/*07E.	EL		79	79		79	
PLE/7FG.			12	12		12	
PLE/7HJK.		0	21	21		21	
POK/2C3A4		63.000	717	10.286	16,33%		
>POK/*04N-	EL		9.569	9.569			
>(POK/*6AN58)	SC	9.450			0%		
POK/56-14			1.301	1.301		1.301	
POK/7/3411			11	11		11	
POL/07.			90	90		90	
RED/N3M.		221.000			0%		
RJU/7DE.		3.000	385	385	12,83%		
>SBR/678_AMS	SC		59	59			
SOL/07A.		6.000			0%		
SOL/07D.			136	136		136	

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
SOL/07E.			24	24		24	
SOL/24-C.		6.496.000	1.109.083	1.109.083	17,07%		
SOL/3ABC24		17.000	1.153	1.153	6,78%		
SPR/2AC4-C		687.207	10.921	10.921	1,59%		
>(OTH/*2AC4C)	EL	16.512			0%		
SPR/7DE.		144.750			0%		
SRX/03A-C.			70	92		92	
>RJH/03A-C.	SS		22	22			
SRX/07D.		12.000	2	16.063	133,86%	4.063	
>RJC/07D.	SS		12.857	12.857			
>RJH/07D.	SS		1.907	1.907			
>RJM/07D.	SS		1.297	1.297			
>(SRX/*2AC4C)	SC	1.300			0%		
>(SRX/*67AKD)	SC	650			0%		
SRX/2AC4-C		399.000	25	145.494	36,46%		
>RJC/2AC4-C	SS		93.090	93.090			
>RJH/04-C.	SS		27.755	27.755			
>RJM/2AC4-C	SS		24.624	24.624			
>(SRX/*07D2.)	SC	39.900			0%		
SRX/67AKXD		3.000		2.744	91,47%		
>RJC/67AKXD	SS		1.844	1.844			
>RJH/67AKXD	SS		185	185			
>RJM/67AKXD	SS		715	715			
>(SRX/*07D.)	SC	150			0%		
(T/B/2AC4-C)		2.238.000		362.045	16,18%		
>(BLL/2AC4-C)	SS	992.000		118.025	11,90%		
>>BLL/*2AC4-C	EL		118.025	118.025			

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>TUR/*2AC4-C	EL	1.247.000	244.020	244.020	19,57%		
WHB/1X14		50.700.630	51.715.530	51.715.530	102,00%	1.014.900	
WHG/03A.		1.000	4	4	0,40%		
WHG/08.			1.205	1.205			
WHG/2AC4.		4.223.000	646.384	647.383	15,33%		
>WHG/*04N-	EL		999	999			
(WHG/7X7A-C)		151.000		438.858	290,63%	287.858	
>WHG/*07D.	EL	128.000	400.722	400.722	313,06%	272.722	
>WHG/*7XAD	EL	23.000	38.136	38.136	165,81%	15.136	
WIT/03A-C.		1.000	31	31	3,10%		
>(WIT/*2AC4-C1)	SC	1.000			0%		