



Benuttingsoverzicht 2025

Aangemaakt op 05-06-2025

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		15.000	5.565	5.565	37,10%		
ANF/07.		532.000	2.254	2.254	0,42%		
>(ANF/*8ABDE)	SC	53.200			0%		
ANF/2AC4-C		305.000	18.620	18.620	6,10%		
>(ANF/*56-14)	SC	29.500			0%		
>(ANF/*6AN58)	SC	88.500			0%		
ANF/56-14		291.000			0%		
>(ANF/*2AC4C)	SC	61.600			0%		
ARU/1/2.		21.000			0%		
ARU/3A4-C		55.000	20.320	20.320	36,95%		
ARU/567.		6.627.500	4.971.456	4.971.456	75,01%		
BLL/03A-C.		13.000	251	251	1,93%		
>(BLL/*2AC4-C1)	SC	13.000			0%		
BLL/07DE.		4.000	1.208	1.208	30,20%		
>(BLL/*2AC4-C2)	SC	4.000			0%		
BOR/678-			663.279	663.279		663.279	
CJM/SPRFMO		23.858.310			0%		
COD/03AN.		14.000	1.387	1.387	9,91%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
COD/07D.		29.000	522	522	1,80%		
>(COD/*2A3X4)	SC	1.450			0%		
>COD/1/2B.	SC	74.000			0%		
COD/2A3AX4		1.563.000	71.771	276.679	17,70%		
>COD/*04N-	EL		204.908	204.908			
>(COD/*07D.)	SC	77.350			0%		
COD/7XAD34		0	63	63		63	
DGS/15X14		12.000	724	724	6,03%		
DGS/2AC4-C		117.000	2.961	2.961	2,53%		
GHL/2A-C46			40	40		40	
HAD/03A.		6.000	1.076	1.076	17,93%		
HAD/2AC4.		478.000	246.680	261.923	54,80%		
>(HAD/*03A.)	SC	20.650			0%		
>HAD/*04N-	EL		15.243	15.243			
>(HAD/*6AN58)	SC	41.300			0%		
HAD/7X7A34			3.512	3.512		3.512	
HER/1/2-		2.995.977			0%		
HER/2A47DX		73.000			0%		
HER/4AB.		49.260.437	4.208	363.080	0,74%		
>HER/*4N-S62	SC		358.872	358.872			
HER/4CXB7D		20.224.124	63.059	63.059	0,31%		
>(HER/*04B.)	SC	8.869.000			0%		
HER/5B6ANB		83.000			0%		
HER/6AS7BC		124.000			0%		
HER/7EF.			8	8		8	
HER/7G-K.		54.000			0%		
HKE/04-N.		107.000	22.787	22.787	21,30%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
HKE/2AC4-C		38.000	2.001	2.001	5,27%		
>HKE/*03A.	SC	3.800			0%		
>(HKE/*6AN58)	SC	2.280			0%		
HKE/571214		186.000	72.093	72.093	38,76%		
>(HKE/*8ABDE)	SC	19.000			0%		
HKE/8ABDE.		19.000			0%		
>(HKE/*57-14)	SC	6.000			0%		
JAX/2A-14		19.765.000	11.396.735	11.396.735	57,66%		
JAX/4BC7D		169.400	31.258	31.258	18,45%		
LEM/03A-C.		7.000	1.210	1.210	17,29%		
>(LEM/*2AC4-C1)	SC	7.000			0%		
LEM/07D.		6.000	787	787	13,12%		
>(LEM/*2AC4-C2)	SC	6.000			0%		
LEZ/07.			502	502		502	
LEZ/2AC4-C		37.000	396	396	1,07%		
>(LEZ/*6AN58)	SC	7.400			0%		
LIN/03A-C.			33	33			
LIN/04-C.		4.000	5.960	5.960	149,00%	1.960	
>(LIN/*6AN58)	SC	800			0%		
LIN/04-N.		1.000	1.181	1.181	118,10%	181	
LIN/6X14.			279	279		279	
(L/W/2AC4-C)		188.000		21.567	11,47%		
>(LEM/2AC4-C)	SS	76.000		19.255	25,34%		
>>LEM/*2AC4-C	EL		19.255	19.255			
>(WIT/2AC4-C)	SS	111.000		2.312	2,08%		
>>WIT/*2AC4-C	EL		2.312	2.312			
(MAC/*2A14)		554.000			0%		
MAC/2A34-N		1.205.000	2.670.050	2.953.824	245,13%	1.748.824	

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(MAC/*2AX14)	SC	723.000			0%		
>MAC/*3A4BC	EL	490.000	283.774	283.774	57,91%		
MAC/2CX14-		11.679.200	1.219.745	1.219.745	10,44%		
>(MAC/*4A-UK)	SC	14.059.000			0%		
>(MAC/*8C910)	SC	514.750			0%		
MAR_PEL_IND/MAR_2019			11.653	11.653			
MRT_PEL_IND_FROZEN/MRT_2021		64.976.100	7.265.510	7.265.510	11,18%		
NEP/2AC4-C		425.000	110.585	110.585	26,02%		
NOP/2A3A4.		221			0%		
OTH/04-N.		106.000	67.292	67.292	63,48%		
PLE/03AN.		2.869.000	72.992	72.992	2,54%		
PLE/2A3AX4		40.695.000	2.227.912	2.244.254	5,51%		
>PLE/*04N-	EL		16.342	16.342			
(PLE/7DE.)		9.000		11.964	132,93%	2.964	
>PLE/*07D.	EL	9.000	11.885	11.885	132,06%		
>PLE/*07E.	EL		79	79			
PLE/7FG.			12	12		12	
PLE/7HJK.		0	21	21		21	
POK/2C3A4		63.000	23.686	76.027	120,68%	13.027	
>POK/*04N-	EL		52.341	52.341			
>(POK/*6AN58)	SC	9.450			0%		
POK/56-14			7.580	7.580		7580	
POK/7/3411			17	17		17	
POL/07.			91	91		91	
RJU/7DE.		3.000	385	385	12,83%		
>SBR/678_AMS	SC		59	59			
SOL/07A.		300			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
SOL/07D.			140	140		140	
SOL/07E.			24	24		24	
SOL/24-C.		6.496.000	1.311.424	1.311.424	20,19%		
SOL/3ABC24		17.000	1.153	1.153	6,78%		
SPR/2AC4-C		0					
>(OTH/*2AC4C)	EL	0					
SPR/7DE.		0					
SRX/03A-C.			70	92		92	
>RJH/03A-C.	SS		22	22			
SRX/07D.		12.000	2	18.262	152,18%	6.262	
>RJC/07D.	SS		14.710	14.710			
>RJH/07D.	SS		2.043	2.043			
>RJM/07D.	SS		1.507	1.507			
>(SRX/*2AC4C)	SC	1.300			0%		
>(SRX/*67AKD)	SC	650			0%		
SRX/2AC4-C		469.000	38	199.311	42,50%		
>RJC/2AC4-C	SS		125.109	125.109			
>RJH/04-C.	SS		40.971	40.971			
>RJM/2AC4-C	SS		33.193	33.193			
>(SRX/*07D2.)	SC	49.900			0%		
SRX/67AKXD		3.000		2.744	91,47%		
>RJC/67AKXD	SS		1.844	1.844			
>RJH/67AKXD	SS		185	185			
>RJM/67AKXD	SS		715	715			
>(SRX/*07D.)	SC	150			0%		
(T/B/2AC4-C)		2.148.000		479.092	22,30%		
>(BLL/2AC4-C)	SS	962.000		146.065	15,18%		
>>BLL/*2AC4-C	EL		146.065	146.065			

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>TUR/*2AC4-C	EL	1.187.000	333.027	333.027	28,06%		
>USK/04-C_AMS	SC		11	11			
WHB/1X14		94.700.630	58.488.117	58.489.317	61,76%		
>WHB/*NZJM1	SA		1.200	1.200			
WHG/03A.		1.000	4	4	0,40%		
WHG/08.			1.205	1.205		1.205	