



Benuttingsoverzicht 2025

Aangemaakt op 03-07-2025

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		15.000	6.793	6.793	45,29%		
ANF/07.		512.000	2.254	2.254	0,44%		
>(ANF/*8ABDE)	SC	53.200			0%		
ANF/2AC4-C		305.000	33.340	33.340	10,93%		
>(ANF/*56-14)	SC	29.500			0%		
>(ANF/*6AN58)	SC	88.500			0%		
ANF/56-14		241.000			0%		
>(ANF/*2AC4C)	SC	61.600			0%		
ARU/1/2.		21.000			0%		
ARU/3A4-C		55.000	20.320	20.320	36,95%		
ARU/567.		6.627.500	4.979.652	4.979.652	75,14%		
BLL/03A-C.		13.000	276	276	2,12%		
>(BLL/*2AC4-C1)	SC	13.000			0%		
BLL/07DE.		4.000	1.236	1.236	30,90%		
>(BLL/*2AC4-C2)	SC	4.000			0%		
BOR/678-			1.075.683	1.075.683		1.075.683	
CJM/SPRFMO		22.341.640			0%		
COD/03AN.		14.000	3.739	3.739	26,71%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
COD/07D.		29.000	547	547	1,89%		
>(COD/*2A3X4)	SC	1.450			0%		
>COD/1/2B.	SC	74.000			0%		
COD/2A3AX4		1.374.200	104.644	395.435	28,78%		
>COD/*04N-	EL		290.791	290.791			
>(COD/*07D.)	SC	77.350			0%		
COD/7XAD34		0	63	63		63	
DGS/15X14		12.000	753	753	6,28%		
DGS/2AC4-C		117.000	3.290	3.290	2,81%		
GHL/2A-C46			44	44		44	
HAD/03A.		6.000	3.362	3.362	56,03%		
HAD/2AC4.		518.000	326.776	346.757	66,94%		
>(HAD/*03A.)	SC	20.650			0%		
>HAD/*04N-	EL		19.981	19.981			
>(HAD/*6AN58)	SC	41.300			0%		
HAD/7X7A34			4.664	4.664		4.664	
HER/1/2-		2.995.977			0%		
HER/2A47DX		73.000			0%		
HER/4AB.		45.725.437	2.184.748	2.536.615	5,55%		
>HER/*4N-S62	SC		351.867	351.867			
HER/4CXB7D		17.224.124	63.064	63.064	0,37%		
>(HER/*04B.)	SC	8.869.000			0%		
HER/5B6ANB		68.000			0%		
HER/6AS7BC		124.000			0%		
HER/7EF.		5.000	8	8	0,16%		
HER/7G-K.		4.000			0%		
HKE/04-N.		107.000	36.604	36.604	34,21%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
HKE/2AC4-C		38.000	4.196	4.785	12,59%		
>HKE/*03A.	SC	3.800	589	589	15,50%		
>(HKE/*6AN58)	SC	2.280			0%		
HKE/571214		131.000	119.631	119.631	91,32%		
>(HKE/*8ABDE)	SC	19.000			0%		
HKE/8ABDE.		19.000	3.108	3.108	16,36%		
>(HKE/*57-14)	SC	6.000			0%		
JAX/2A-14		19.765.000	15.135.239	15.135.239	76,58%		
JAX/4BC7D		169.400	45.650	45.650	26,95%		
LEM/03A-C.		7.000	1.314	1.314	18,77%		
>(LEM/*2AC4-C1)	SC	7.000			0%		
LEM/07D.		6.000	795	795	13,25%		
>(LEM/*2AC4-C2)	SC	6.000			0%		
LEZ/07.			502	502		502	
LEZ/2AC4-C		37.000	721	721	1,95%		
>(LEZ/*6AN58)	SC	7.400			0%		
LIN/03A-C.			45	45		45	
LIN/04-C.		6.000	6.613	6.613	110,22%	613	
>(LIN/*6AN58)	SC	800			0%		
LIN/04-N.		1.000	1.218	1.218	121,80%	218	
LIN/6X14.		6.000	279	279	4,65%		
>(LIN/*04-C.)	SC	6.000			0%		
(L/W/2AC4-C)		158.000		32.592	20,63%		
>(LEM/2AC4-C)	SS	46.000		26.238	57,04%		
>>LEM/*2AC4-C	EL		26.238	26.238			
>(WIT/2AC4-C)	SS	111.000		6.354	5,72%		
>>WIT/*2AC4-C	EL		6.354	6.354			

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
(MAC/*2A14)		554.000			0%		
MAC/2A34-N		1.545.000	2.714.760	3.109.105	201,24%	1.564.105	
>(MAC/*2AX14)	SC	723.000			0%		
>MAC/*3A4BC	EL	490.000	394.345	394.345	80,48%		
MAC/2CX14-		11.221.700	1.469.570	1.469.570	13,10%		
>(MAC/*4A-UK)	SC	14.096.500			0%		
>(MAC/*8C910)	SC	514.750			0%		
MRT_PEL_IND_FROZ EN/MRT_2021		64.976.100	9.016.435	9.016.435	13,88%		
NEP/2AC4-C		450.000	153.550	153.550	34,12%		
NOP/2A3A4.		221			0%		
OTH/04-N.		136.000	72.811	72.811	53,54%		
PLE/03AN.		2.869.000	85.583	85.583	2,98%		
PLE/2A3AX4		41.355.000	2.735.274	2.755.147	6,66%		
>PLE/*04N-	EL		19.873	19.873			
(PLE/7DE.)		9.000		12.305	136,72%	3.305	
>PLE/*07D.	EL	9.000	12.226	12.226	135,84%	3.226	
>PLE/*07E.	EL		79	79		79	
PLE/7FG.			12	12		12	
PLE/7HJK.		0	21	21		21	
POK/2C3A4		93.000	34.181	108.038	116,17%	15.038	
>POK/*04N-	EL		73.857	73.857			
>(POK/*6AN58)	SC	9.450			0%		
POK/56-14			7.644	7.644		7.644	
POK/7/3411			17	17		17	
POL/07.			91	91		91	
RJU/7DE.		3.000	385	385	12,83%		
>SBR/678_AMS	SC		60	60			

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
SOL/07A.		300			0%		
SOL/07D.			142	142		142	
SOL/07E.			24	24		24	
SOL/24-C.		6.496.000	1.467.629	1.467.629	22,59%		
SOL/3ABC24		17.000	1.155	1.155	6,79%		
SRX/03A-C.			81	103		103	
>RJH/03A-C.	SS		22	22			
SRX/07D.		12.000	2	19.263	160,53%	7.263	
>RJC/07D.	SS		15.678	15.678			
>RJH/07D.	SS		2.076	2.076			
>RJM/07D.	SS		1.507	1.507			
>(SRX/*2AC4C)	SC	1.300			0%		
>(SRX/*67AKD)	SC	650			0%		
SRX/2AC4-C		544.000	38	244.595	44,96%		
>RJC/2AC4-C	SS		157.138	157.138			
>RJH/04-C.	SS		49.286	49.286			
>RJM/2AC4-C	SS		38.133	38.133			
>(SRX/*07D2.)	SC	52.900			0%		
SRX/67AKXD		3.000		2.744	91,47%		
>RJC/67AKXD	SS		1.844	1.844			
>RJH/67AKXD	SS		185	185			
>RJM/67AKXD	SS		715	715			
>(SRX/*07D.)	SC	150			0%		
(T/B/2AC4-C)		2.143.000		562.982	26,27%		
>(BLL/2AC4-C)	SS	961.000		163.600	17,02%		
>>BLL/*2AC4-C	EL		163.600	163.600			
>TUR/*2AC4-C	EL	1.183.000	399.382	399.382	33,76%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>USK/04-C_AMS	SC		11	11			
WHB/1X14		94.700.630	58.682.653	58.683.873	61,97%		
>WHB/*NZJM1	SA		1.220	1.220			
WHG/03A.		1.000	4	4	0,40%		
WHG/08.			1.205	1.205		1.205	
WHG/2AC4.		4.223.000	839.928	844.635	20,00%		
>WHG/*04N-	EL		4.707	4.707			
(WHG/7X7A-C)		526.000		459.623	87,38%		
>WHG/*07D.	EL	468.000	421.485	421.485	90,06%		
>WHG/*7XAD	EL	58.000	38.138	38.138	65,76%		
WIT/03A-C.		1.000	51	51	5,10%		
>(WIT/*2AC4-C1)	SC	1.000			0%		